



Fully-Integrated Meal Delivery Systems



Fully-Integrated Meal Delivery Systems

For decades, we've built our reputation on one idea: meal delivery should work as a system, not a collection of parts. This catalog brings that fully-integrated approach together in one place.

Fully-Integrated Trays, dinnerware, and carts all come from one vendor, so the right number of trays fit in the right cart and you deliver enough meals at one time. Everything is sized to work together, the first time and every time.

Purpose-Built Products Every product in this catalog is designed with the end user in mind. We pay attention to the details that matter: durability, functionality, temperature retention, and ease of use. Different needs, same commitment to getting it right.

Meal Delivery Systems for Any Process Whatever your workflow looks like, we have a system to support it. From high-volume service to individual delivery, from fast-paced environments to specialized settings, we offer solutions that fit the way you work.

Our Three Commitments to You

Experts in our industry. We know foodservice inside and out, and we put that knowledge to work helping you choose the right solution, not just the right product.

Innovative. We're always looking for better ways to solve the problems our customers face, whether that means a new product, a smarter design, or a fresh take on an old challenge.

Easy to do business with. From the first phone call to reorders years later, we aim to make every interaction simple, responsive, and straightforward.

Check Us Out With No Risk

- **FREE** dinnerware samples
- **FREE** on-site equipment demo at your facility for qualifying applications
- **FREE** online equipment demo, available anywhere
- **FREE** consultations are always available. For a quote or more information, call (800) 848-8160 or email jzsales@joneszylon.com.

Take a closer look at some truly unique products...

SmartTray page 3

Mission Ready equipment pages 8-9

ServeSmart equipment page 12

Optimus equipment page 12

Equipment Options page 13

Contents

DINNERWARE | 2-6

MAIN LINE SERVING TRAYS	2
SEGREGATION SERVING TRAYS	2
COOK/CHILL RETHERMALIZATION TRAYS	2
SmartTrays	3
INSULATED TRAYS	4
MaxFlex PRODUCTS	4
TUMBLERS, CUPS & MUGS	5
EATING UTENSILS	5
PLATES & BOWLS	6
SPOONDLES	6

HEATED & REFRIGERATED FOOD SERVICE EQUIPMENT | 7-13

BULK FOOD HOLDING CABINETS	7
MISSION-READY HEATED/DUAL-TEMP CARTS	8-9
STANDARD HEATED CARTS	10
STANDARD DUAL TEMP MEAL DELIVERY CARTS	11
ServeSmart CARTS	12
Optimus CARTS	12
Mission-Ready OPTIONS	13
GENERAL EQUIPMENT OPTIONS	13
UPGRADE OPTIONS	13

RACKS and CARTS | 14-16

DRYING RACKS	14
BUN PAN RACKS	15
CAFETERIA TRAY STAGING CARTS	15
OPEN TRAY TRANSPORT CARTS	15
ENCLOSED TRAY TRANSPORT CARTS	16
CASTER OPTIONS	17

CASTERS | 17

STAGING CARTS | 17

FOR MORE INFO



jzcorrections.com



jzhealthcare.com

DINNERWARE

Correctional dinnerware is made to resist being made into a weapon. Copolymer material won't break into shards or sharpen into edges. It is made to be durable in a punishing environment. For the last 50 years JonesZylon has innovated to offer the best in class correctional dinnerware.

3-7 COMPARTMENT MEAL TRAYS

This broad line of meal trays offers proven solutions to any corrections application whether you serve in a cafeteria, transport to remote serving areas, or deliver to segregation units. All trays resist staining and scratching, are reinforced to maximize durability and have a unique slope angle to make each compartment look more full of food and easier to clean.



MAIN LINE SERVING TRAYS

Item	Capacity/Oz.	Style	Copolymer	Clear Lid	Clear Lid	Dimensions	Stock Colors			Case Qty
							Buff	Choc	Teal	
		6 Compartment	PPST-14			14-1/4 x 9-7/8 x 7/8"	☑		☑	24
		6 Compartment	PPST-28	PPSTL-28	STL-28	14-1/8 x 9-3/4 x 1-1/2"	☑	☑	☑	24
		6 Compartment	PPST-200			14-7/8 x 10-3/4 x 1-1/2"				24
		7 Compartment	PPST-1570			14-7/8 x 9-1/2 x 1-3/8"	☑	☑		24
		E-Z Tray	PPST-67			17-3/4 x 11-3/4 x 1-1/2"				24

SEGREGATION SERVING TRAYS

Item	Capacity/Oz.	Style	Copolymer	Clear Lid	Clear Lid	Dimensions *	Stock Colors			Case Qty
							Buff	Choc	Teal	
		4 Compartment	PPST-9400	PPJZL-9	JZL-9	10-3/4 x 8-7/8 x 2-1/4"	☑	☑	☑	24
		3 Compartment	PPST-9300	PPJZL-9	JZL-9	10-3/4 x 8-7/8 x 2-1/4"	☑	☑	☑	24
		3 Compartment	JZCC-5200	JZL-5200	JZL-5225	9-1/4 x 6-3/4 x 2-1/4"	☑	☑	☑	24
		3 Compartment	JZCC-4200	JZL-4200	JZL-4225	8-3/4 x 6-5/8 x 2"	☑	☑		24

* Dimensions are with lid on

COOK/CHILL RETHERMALIZATION TRAYS


Item	Capacity/Oz.	Style	Polyphenylsulfone Tray	Polyphenylsulfone Lid	Dimensions *	Stock Colors		Case Qty
						Black	Teal	
		3 Compartment	JZCC-5400	JZL-5400	9-1/4 x 6-3/4 x 2-1/4"		☑	24
		3 Compartment	JZCC-4400	JZL-4400	8-3/4 x 6-5/8 x 2"			24

* Dimensions are with lid on

FEATURES

- » 400° F
- » No shatter
- » Most durable tray available

COPOLYMER CUSTOM COLORS AVAILABLE



POLYCARBONATE CUSTOM COLORS AVAILABLE



CUSTOM BLEND FULL-RANGE COLOR - \$150 SETUP



DINNERWARE

SmartTrays

SmartTrays are solid molded construction meal trays specifically designed to accommodate most menus, protect food, last longer and stack with stability to provide superior meal delivery.



serve smart
PRODUCTS

SmartTrays

Item	Capacity/Oz.	Style	Copolymer	Flex	Dimensions	Stock Colors				Case Qty
						Blue	Brick	Choc	Teal	
	6 Compartment	SMART-5	SMARTB-5		13.4 x 9.25 x 1.9"	☒	☒	☒	☒	12



FEATURES of the SmartTrays

- » 5 food compartments to accommodate most menus
- » Compartments sealed off from one another to separate food
- » Sized to fit SmartCarts perfectly for efficient meal delivery
- » Tray bottom is the lid for the tray below it - No lids needed
- » Ample compartment height to keep food off of tray bottom
- » Can stack in either direction and without lids
- » Flatware compartment
- » Condiment compartment
- » Lids available for top of stack
- » Stock colors in Brick and Brown
- » Good heat retention

SmartTray XD

Item	Capacity/Oz.	Style	Copolymer	Flex	Dimensions	Stock Colors				Case Qty
						Blue	Brick	Choc	Teal	
	6 Compartment	SMART-5-XD	SMART-5-XD		13.4 x 9.25 x 2.6"	☒	☒	☒	☒	10



FEATURES of the SmartTray XD

- » Layout convenient for most menus
- » Stackable without lids in straight stable column
- » Over 2.5" total compartment depth prevents food from sticking to bottom of tray above
- » Compartments sealed off from one another to separate food
- » Sized to fit SmartCarts perfectly for efficient meal delivery
- » Tray bottom is the lid for the tray below it - No lids needed
- » Can stack in either direction and without lids

SmartTray LIDS

Item	Capacity/Oz.	Style	Copolymer	Flex	Dimensions	Stock Colors				Case Qty
						Blue	Brick	Choc	Teal	
	6 Compartment	SMARTL-5	SMARTLB-5		13.4 x 9.25 x .86"	☒	☒	☒	☒	12



FEATURES of the SmartTray Lids

- » Compartment layout matches tray to seal off each compartment
- » Can use as the one lid on top of each stack of trays
- » Can also use a lid on each tray. Corner ribs on top help center each tray for a straight stable stack
- » 0.63" compartment height helps keep food from sticking to inside bottom of lid
- » Can interlock on a tray in either direction



Max-Flex blend

- » Proprietary polymer formulation
- » Too soft to easily fashion into a weapon
- » Material will tear instead of breaking
- » Optimized durability and stiff enough to resist wear
- » Withstands temperatures from 0 to 212°F
- » Significantly cheaper and more earth-friendly than silicon
- » Reusable and recyclable
- » Dishwasher safe and microwave safe

Copolymer (copoly)

- » Economical
- » Break, chip and crack resistant
- » Withstands temperatures from 0 to 212°F
- » Reusable and recyclable
- » Dishwasher safe and microwave safe

CUSTOM BLEND FULL-RANGE COLOR - \$150 SETUP




DINNERWARE

INSULATED TRAYS

The most durable insulated tray on the market!


- The enhanced design significantly increases wall thickness in the areas most vulnerable to fracturing, impeding water from getting inside the tray through cracks and holes.
- The corner plug is 'welded' in with a proprietary process that ensures a long lasting seal.
- The interior foam is modified with a hydrophobic additive that repels moisture, resisting your trays from becoming water-logged bacteria farms like other trays.

Competitor primary failure point



JonesZylon substantial and consistent wall thickness

INSULATED TRAYS

Item	Description	Capacity/Oz.	Lid	Dimensions	Teal	Buff	Choc	Brick	Case Qty
	PRTS-4000 Bi-Directional 4-Compartment			14-7/8 x 13-1/4 x 2-3/8"		✓	✓	✓	12
	PRTS-5000 6-Compartment		PRTSL-5000 Lid: 1"H	14-3/8 x 11-1/8 x 2"	✓		✓	✓	12
	PRTS-6000 6-Compartment		PRTSL-6000 Lid: 1.5"H	15-1/4 x 13-1/2 x 2-3/8"	✓		✓		12

STANDARD FEATURES

- » Compartments individually seal when stacked. Hot stays hot, and cold stays cold.
- » Material blend for superior impact resistance and durability
- » Interior bead around perimeter for added strength
- » Economate® foam system completely fills interior area
- » Temperature range; -40°F to 190°F; dishwasher safe
- » Meets FDA requirements as a multi-use product for public food service

MaxFlex PRODUCTS

MaxFlex dinnerware is blended to maximize safety and durability


SAFE The specially formulated resin provides the ultimate in safety for your officers and inmates. Guaranteed! You cannot create a dangerous weapon out of this material. Ultra-flexible, it can't be sharpened. When melted, it does not harden when cooled.

- Perfect for high security and suicide watch populations.

DURABLE Blended with other materials to increase durometer

- While maintaining the safety feature, the material properties are modified to resist cutting and wear.
- Perfect to replace Styrofoam clamshells. You can save a lot of money by switching to this reusable product. Contact your JonesZylon representative for a free cost model to calculate your savings.



Item	Description	Clear Lid	Dimensions	Teal	Choc	Orange	Case Qty	Item	Description	Clear Lid	Dimensions	Teal	Choc	Orange	Case Qty
	FXSTB-9300 Seg Tray	FXLB-9	*10-3/4 x 8-7/8 x 2-1/4"	✓	✓		24		FXV-12 12 oz Tumbler		5-1/8 x 2-7/8"				72
	FXSTB-9400 Seg Tray	FXLB-9	*10-3/4 x 8-7/8 x 2-1/4"	✓	✓	✓	24		FXV-16 16 oz Tumbler		5-3/4 x 3-1/8"		✓		72
	FXSTB-5300 Seg Tray	FXLB-5	*9-1/4 x 6-3/4 x 2-3/8"	✓	✓		24		FXSM-8/9 9.5 oz Mug		3-7/8 x 2-7/8"	✓	✓	✓	72
	FXSSB-15 15 oz Rimless Bowl		5-1/4 x 2-1/8"		✓		72		FXSM-10 13 oz Mug		3-7/8 x 3-3/8"	✓	✓	✓	72
	FXSTB-28 6-Compartment Tray	FXLB-28	*14-3/8 x 10 x 2-1/2"	✓	✓		24		FXSF-7 Flex Spork		6-1/2"			✓	360
	FXV-6 5 oz Tumbler		3-1/2 x 2-3/8"			✓	72		FXSSC-6 Flex Soup Spoon		6-1/4"	✓	Buff		432
	FXV-10 9 oz Tumbler		4 x 2-3/4"		✓	✓	72								

* Dimensions are with lid on

DINNERWARE

TUMBLERS, CUPS & MUGS

The Wave tumbler features a pattern of textured and smooth surfaces that provide a sure grip while reducing scratches. A smooth rim and smooth interior surface assures sanitary cleaning. Stacking lugs prevent sticking when stacking, even when put away wet and the 3-sided V-cut drain bottom speeds drying.

The Stacking Mug features a bottom ring that nests into the mouth of the mug below to allow straight, stable stacking. Wide, ergonomic handles allow for large fingers to have a comfortable grip.



Item	Description	Copoly	Size Ht. x Dia.	Buff	Choc	Teal	Amber	Case Qty
	SC-7 8 oz Cup	☑	3 x 3-1/4"	☑	☑	☑		72
	SM-8/9 9.5 oz Mug	☑	3-7/8 x 2-7/8"	☑	☑			72
	SM-10 13 oz Mug	☑	3-7/8 x 3-3/8"	☑	☑	☑		72
	PCWT-12 12 oz Tumbler		5-1/4 x 2-7/8"				☑	72

Item	Description	Copoly	Size Ht. x Dia.	Buff	Choc	Teal	Trans	Orange	Case Qty
	V-6 5 oz Tumbler	☑	3-5/8 x 2-1/4"					☑	72
	V-10 8.5 oz Tumbler	☑	4 x 2-3/4"	☑	☑	☑	☑	☑	72
	V-12 12 oz Tumbler	☑	5-1/8 x 2-7/8"	☑	☑	☑	☑		72
	V-16 15.5 oz Tumbler	☑	5-3/4 x 3-1/8"	☑	☑	☑		☑	72

EATING UTENSILS

SAFETY FLATWARE

Designed with a narrow neck to provide just enough strength to support a scoop of food yet too weak and flexible to easily be used as a weapon. The beaded edge provides for an easier grip.

BIG GRIP™ FLATWARE

It's as close as you can come to the heavy, rigid feel of real silverware. These comfortable-to-grip utensils feature handles that are thick and textured with ergonomic shapes.



Item	Description	Copoly	Size	Buff	Orange	Case Qty
	K-7 Safety Knife	☑	6-7/8"	☑	☑	360
	F-7 Safety Fork	☑	6-7/8"	☑	☑	360
	OB-6 Safety Spoon	☑	6-1/2"	☑	☑	360
	SF-7 Safety Spork	☑	6-1/2"	☑	☑	360
	PPK-8 BIG GRIP™ Knife	☑	8-1/2"	☑	☑	432
	PPF-7 BIG GRIP™ Fork	☑	7-1/4"	☑	☑	432
	PPSS-6 BIG GRIP™ Soup Spoon	☑	6-1/4"	☑	☑	432
	PPTS-6 BIG GRIP™ Tea Spoon	☑	6-1/8"	☑	☑	432



Max-Flex blend

- » Proprietary polymer formulation
- » Too soft to easily fashion into a weapon
- » Material will tear instead of breaking
- » Optimized durability and stiff enough to resist wear
- » Withstands temperatures from 0 to 212°F
- » Significantly cheaper and more earth-friendly than silicon
- » Reusable and recyclable
- » Dishwasher safe and microwave safe

Copolymer (copoly)

- » Economical
- » Break, chip and crack resistant
- » Withstands temperatures from 0 to 212°F
- » Reusable and recyclable
- » Dishwasher safe and microwave safe

OPTIONS AND FEATURES for tumblers, cups, mugs, and eating utensils

All items are standard in copoly material. The 12oz tumbler is standard in either copoly or polycarbonate and the other items can be custom ordered in polycarbonate.

Copolymer (copoly)

- » Shatterproof and resists sharpening
- » Reusable and recyclable
- » Dishwasher safe and microwave reheatable
- » Withstands temperatures from -40°F to 212°F

Polycarbonate (polycarb)

- » Break, stain and scratch resistant
- » Reusable and recyclable
- » Dishwasher safe and microwave reheatable
- » Withstands temperatures from -40°F to 225°F

DINNERWARE

PLATES & BOWLS

This broad line of plates and bowls offers a variety of options for cafeteria style dining. Perfect for preplated menu items such as deserts and salads or used as stacked dinnerware at buffet tables.

Item	Description	Copoly	Size	Buff	Choc	Teal	Case Qty
	NDP-9 Dinner Plate	✓	9"	✓		✓	72
	SDP-6 Dessert Plate	✓	6-3/8"	✓		✓	72
	SRSB-15 16 oz Rimmed Bowl	✓	6-1/2 x 2-1/4"	✓	✓	✓	72
	SSB-15 15 oz Rimless Bowl	✓	5-1/4 x 2-1/4"	✓	✓	✓	72
	SVD-5 5 oz Vegetable Dish	✓	5 x 1-1/4"	✓		✓	72

Copolymer (copoly) standard

- » Shatterproof and resists sharpening
- » Reusable and recyclable
- » Dishwasher safe and microwave reheatable
- » Withstands temperatures from -40°F to 212°F



* All plates and bowls now available in MaxFlex except SRSB-15 Rimmed bowl.

THE INCREDIBLE SPOONDLE

It's a spoon... It's a ladle... No, it's a spoondle™, a handy utensil for serving soups, potatoes, pastas, steamed vegetables and similar foods. This one comes with an interesting twist you won't find anywhere else. Its small bowl diameter prevents overfill, allowing for better portion control while the unique nose design allows you to get into the corners of the serving pan.

The JonesZylon spoondle™ is molded from a specially-formulated nylon material in bright colors, making it easy to distinguish different sizes.

You can't make weapons with JonesZylon spoondles™ as you can do with stainless steel products or replace them as frequently as you must with easier-to-break polycarbonates.

Item	Description	Dimensions Length	Choc	Green	Gray	Blue	Gold	Case Qty
	2 Oz. Perforated & Solid	11"	✓					6
	4 Oz. Perforated & Solid	11-3/8"		✓				6
	6 Oz. Perforated & Solid	11-7/8"			✓			6
	8 Oz. Perforated & Solid	12"				✓		6
	10 Oz. Perforated & Solid	12-1/4"					✓	6

FEATURES of the spoondles

- » Available in 2, 4, 6, 8, or 10 oz
- » Each size available in solid or perforated
- » Stackable
- » Spade-shaped head for much less waste in serving pan and superior portion control
- » Serving sizes marked on handle
- » Spoondles are color-coded by serving size
- » Comfort-grip handle and convenient hanging hole
- » Rigid, durable handle design
- » Break and stain resistance
- » Increased scratch resistance
- » Durable
- » Withstands temperatures from -40°F to 310°F
- » Dishwasher safe
- » Microwave safe
- » Reusable and recyclable



PRO TIP

Use perforated bottomed spoondles for thick foods like mac-n-cheese. The holes prevent suction from holding the food so it will fall right out.

HEATED & REFRIGERATED FOOD SERVICE EQUIPMENT

BULK FOOD HOLDING CABINETS

Prepare large batches of food and then hold in steam pans or on sheet pans until meal time. Keep the food at safe temperatures with active heat and active refrigeration. Multiple sizes/capacity to choose from. Mission Ready technology with removable heat boxes available. You can also use this equipment to transport bulk food from kitchen to satellite serving areas.



JZH-12UBT-RH	MISSION READY HEATED HOLDING CABINET (HOT BOX)		Features » 6" multi-terrain casters » Full perimeter bumper » 120v / 1700w / 14.2amp » Snap-in removable heater	Dimensions Height: 67.5" Width: 30.5" Depth: 38"	Slide Space 4.5"	Capacity	
						Description 18 x 26 sheet pans 4" 12 x 20 steam pans	Quantity 12 24
JZH-6UBT-RH	MISSION READY SMALL HOLDING CABINET		Features » 6" multi-terrain casters » Full perimeter bumper » 120v / 1700w / 14.2amp » Snap-in removable heater	Dimensions Height: 47" Width: 30.5" Depth: 38"	Slide Space 4.5"	Capacity	
						Description 18 x 26 sheet pans 4" 12 x 20 steam pans	Quantity 7 14
JZ-168	MISSION READY SHORT 2-DOOR HOLDING CABINET		Features » 6" multi-terrain casters » Full perimeter bumper » 120v / 1700w / 14.2amp (heated or heated/ambient version) » Snap-in removable heater	Dimensions Height: 47" Width: 61" Depth: 32.5"	Slide Space 4.5"	Capacity	
						Description 18 x 26 sheet pans 4" 12 x 20 steam pans	Quantity 14 28
JZH-12UBT	HEATED HOLDING CABINET (HOT BOX)		Features » 6" multi-terrain casters » Full perimeter bumper » 120v / 1700w / 14.2amp	Dimensions Height: 72" Width: 28.8" Depth: 35.75"	Slide Space 4.5"	Capacity	
						Description 18 x 26 sheet pans 4" 12x20 steam pans	Quantity 12 24
JZR-6UBT	SMALL REFRIGERATED CABINET/CART		Features » 6" HD Poly » Full perimeter bumper » 120v / 780w / 6.5amp	Dimensions Height: 62.2" Width: 34.5" Depth: 36.5"	Slide Space 4.5"	Capacity	
						Description 18 x 26 sheet pans 4" 12 x 20 steam pans	Quantity 7 14
JZR-10UBT	REFRIGERATED HOLDING CABINET		Features » 6" HD Poly » Full perimeter bumper » 120v / 780w / 6.5amp	Dimensions Height: 74.5" Width: 34.5" Depth: 36.5"	Slide Space 4.5"	Capacity	
						Description 18 x 26 sheet pans 4" 12 x 20 steam pans	Quantity 10 20
JZHR-144	HEATED/REFRIGERATED CABINET/CART		Features » 8" multi-terrain casters » Full perimeter bumper » 120v / 1680w / 14amp	Dimensions Height: 63.5" w/ refrigerator: 75.75" Width: 62.3" Depth: 31.8"	Slide Space 4.5"	Capacity	
						Description 18 x 26 sheet pans 4" 12 x 20 steam pans	Quantity 20 40

HEATED & REFRIGERATED FOOD SERVICE EQUIPMENT

MISSION-READY TECHNOLOGY

The latest innovation in meal delivery carts features a self-contained heating unit that is both removable and interchangeable among multiple carts, including the standard "hot box", large capacity meal delivery carts and smaller capacity carts. All Mission-Ready carts have "snap-in" and interchangeable heaters to maximize your uptime! Washing and maintaining your cart has never been easier.

All equipment is certified for UL, DOE, and NSF, and has 1 year parts and labor warranty.



MISSION-READY HEATED CARTS

	Features	Dimensions	Capacity			
JZH-6UBT-RH	 » Small meal delivery cart maneuvers through tight spaces such as old doorways and elevators. » Surprisingly good capacity and very Heavy Duty.	Height: 47.3" Width: 30.75" Depth: 38.25"	SEGREGATION TRAYS	Tray	Cavity	# Trays
				PPST-9300/9400	3/4	90
				JZCC-5200	3	150
				JZCC-4200	3	160
	» 6" multi-terrain casters » 30.75" width fits most all doorways » Heavy duty corrections package » Easy to see over while pushing » Can carry up to 14 4" pans » Transport tumblers, etc. on top » Solar digital thermometer » Low maintenance » 120v / 1700w / 14.2amp		INSULATED TRAYS	PRTS-4000	4	28
				PRTS-5000	5	64
				PRTS-6000	6	28
			STACKING TRAYS	SMART	5	90
				Rock type	5	80
				X-tray type	5	60

JZH-168	 » High capacity heated cart that is short enough to see over while pushing. » Can be configured for meal tray delivery or bulk food pan delivery.	Height: 47.5" Width: 62.875" Depth: 32.5"	SEGREGATION TRAYS	Tray	Cavity	# Trays
				PPST-9300/9400	3/4	168
				JZCC-5200	3	280
				JZCC-4200	3	315
	» 6" multi-terrain casters » Short double door cart » Heavy duty corrections package » Easy to see over while pushing » Can carry up to 28 4" pans » Transport tumblers, etc. on top » Solar digital thermometer » Low maintenance » 120v / 1700w / 14.2amp		INSULATED TRAYS	PRTS-4000	4	78
				PRTS-5000	5	112
				PRTS-6000	6	84
			STACKING TRAYS	SMART	5	170
				Rock type	5	140
				X-tray type	5	98

JZH-198	 » Large capacity heated meal delivery cart. Ideal for larger housing units.	Height: 64.5" Width: 46" Depth: 31.75"	SEGREGATION TRAYS	Tray	Cavity	# Trays
				PPST-9300/9400	3/4	198
				JZCC-5200	3	260
				JZCC-4200	3	360
	» 6" multi-terrain casters » S/S mid-shelf (additional shelves optional) » Bottom baffle heat distribution » Top rail to transport tumblers, etc. » Solar digital thermometer » Low maintenance » 120v / 1700w / 14.2amp		INSULATED TRAYS	PRTS-4000	4	80
				PRTS-5000	5	92
				PRTS-6000	6	76
			STACKING TRAYS	SMART	5	168
				Rock type	5	140
				X-tray type	5	100

JZH-198HD	 » Large capacity heated meal delivery cart. Extreme Heavy Duty for the most punishing applications. Ideal for larger housing units.	Height: 66.5" Width: 46" Depth: 32.75"	SEGREGATION TRAYS	Tray	Cavity	# Trays
				PPST-9300/9400	3/4	198
				JZCC-5200	3	260
				JZCC-4200	3	360
			INSULATED TRAYS	PRTS-4000	4	80
				PRTS-5000	5	92
				PRTS-6000	6	76
			STACKING TRAYS	SMART	5	168
				Rock type	5	140
				X-tray type	5	100



MISSION-READY DUAL TEMP CARTS (HOT/COLD CARTS)

	Features	Dimensions	Capacity			
JZHA-84-RH	 » A small size dual temp cart to deliver 42 meals with a hot tray in heated section and a cold tray in ambient section. Trays with lids stack on floor. Can deliver as many as 56 meals with smaller seg trays. » 6" multi-terrain casters (2 swivel with brake, 2 rigid) » Side mount push/pull handles on both sides » Bottom baffle heat distribution » Top rail to transport drink service, etc. » Side mount snap-in removable heater, left side » Bolt reinforced bottom bumper » Solar digital thermometer » Widened wheel base » 1 yr parts and labor warranty	Height: 47.5" Width: 36.63" Depth: 32.5"	SEGREGATION TRAYS	Tray	Cavity	# Trays
				PPST-9300/9400	3/4	84
				JZCC-5200	3	112
				JZCC-4200	3	112
					120v / 1700w / 14.2amp	
					Heated / Ambient	
JZHA-198(HD)	 » A medium size dual temp cart to deliver 66 meals with a hot tray in heated section and a cold tray in ambient section. Trays with lids stack on floor and on mid-shelf. Can deliver as many as 100 meals with smaller trays. » 6" multi-terrain casters » S/S mid-shelf (additional shelves optional) » Can upgrade to Heavy Duty for high abuse environments » Bottom baffle heat distribution » Top rail to transport tumblers, etc. » Recessed push handle » Side mount snap-in removable heater on right side » Solar digital thermometer » 1 yr parts and labor warranty » 120v / 1700w / 14.2amp » Heated/Ambient	STANDARD Height: 64.5" Width: 46" Depth: 31.75" Heavy Duty Height: 66.5" Width: 46" Depth: 32.75"	SEGREGATION TRAYS	Tray	Cavity	# Trays
				PPST-9300/9400	3/4	132
				JZCC-5200	3	200
				JZCC-4200	3	200
JZ-168	 » A large size dual temp cart to deliver 84-120 meals with one hot tray and one cold tray (cold side can be ambient or refrigerated). Can deliver as many as 150 meals with smaller segregation trays. » Short enough to see over while pushing. » Can be configured for meal tray delivery or bulk food pan delivery. » 6" multi-terrain casters (4 swivel with brakes, 2 rigid) » Removable racks fixed at 3" spacing (optional) » Side-mount recessed push handles » Tubular top rail » 12 gauge heavy duty hinges and lockable transport latch » Bolt reinforced full bottom bumper » Solar powered digital thermometer » Side mount snap-in removable heater, left side and top-mount refrigeration system right side » 120v / 1800w / 15amp / NEMA plug 5-20P (refrigerated) » Refrigeration certified to meet DOE regulations » Heated/Ambient or Heated/Refrigerated or Refrigerated/Refrigerated	Height: 47.5" Width: 62" Depth: 32.5" (add 15" height for refrigeration compressor)	TRAYS	Tray	Cavity	# Trays
				PPST-9300/9400	3/4	168
				JZCC-5200	3	280
				JZCC-4200	3	300
			PANS	12x20 4" pan		28
				18x26 sheet pan		14
JZ-120-RH	 » A large size dual temp cart to deliver 60-84 meals with one hot tray and one cold tray (cold side can be ambient or refrigerated). Can deliver as many as 126 meals with smaller segregation trays and stacked on floor with lids rather than using shelves. » 6" multi-terrain casters (4 swivel with brakes, 2 rigid) » 10 stainless steel shelves on removable racks » Side-mount recessed push handles » Tubular top rail » Full perimeter non-marking vinyl bottom bumper » 12-gauge heavy duty hinges and lockable transport latch » Side mount snap-in removable heater, left side and top-mount refrigeration system right side » 120v / 1800w / 15amp / NEMA plug 5-20P (refrigerated) » Refrigeration certified to meet DOE regulations » Heated/Ambient or Heated/Refrigerated This cart can be upgraded with the Heavy Duty package. This package is designed to 'harden' the most vulnerable components for especially abusive environments - casters, bumpers, hinges, electronic components.	Height: 60.25" Width: 57.63" Depth: 29" (add 14.75" height for refrigeration compressor)	TRAYS	Tray	Cavity	# Trays on shelves / floor
				PPST-9300/9400	3/4	120 / 168
				JZCC-5200	3	180 / 252
				JZCC-4200	3	180 / 252
JZ-144-RH	 » An Extra-large size dual temp cart to deliver 72-132 meals with one hot tray and one cold tray (cold side can be ambient or refrigerated). Can deliver as many as 180 meals with smaller segregation trays and stacked on floor with lids rather than using shelves. Alternatively, can use to transport bulk food in hotel pans or on sheet pans » 8" multi-terrain casters (4 swivel with brakes, 2 rigid) » Removable racks fixed at 4.5" spacing (use sheet pans as shelves) » Side-mount recessed push handles » Tubular top rail » 12 gauge heavy duty hinges and lockable transport latch » Full perimeter non-marking vinyl bottom bumper » Side mount snap-in removable heater, left side and top-mount refrigeration system right side » 120v / 1800w / 15amp / NEMA plug 5-20P (refrigerated) » Refrigeration certified to meet DOE regulations » Heated/Ambient or Heated/Refrigerated This cart can be upgraded with the Heavy Duty package. This package is designed to 'harden' the most vulnerable components for especially abusive environments - casters, bumpers, hinges, electronic components.	Height: 66.25" Width: 62.5" Depth: 31.75" (add 9.75" height for refrigeration compressor)	TRAYS	Tray	Cavity	# Trays on shelves / floor
				PPST-9300/9400	3/4	144 / 264
				JZCC-5200	3	192 / 360
				JZCC-4200	3	192 / 378
			PANS	12x20 4" pan		40
				18x26 sheet pan		20

HEATED & REFRIGERATED FOOD SERVICE EQUIPMENT

STANDARD HEATED CARTS

The result of years of design optimization in the corrections environment focused on food safety and security, durability and ease of use. All stainless steel construction, fully insulated, corrections package. This is not a banquet cart with special fasteners, these carts are specifically designed for corrections applications from the casters up. Detailed specs available upon request.



Features		Dimensions	Capacity			
	» Small meal delivery cart maneuvers through tight spaces such as old doorways and elevators.	Height: 50"	SEGREGATION TRAYS	Tray	Cavity	# Trays
	» 6" multi-terrain casters	Width: 30.75"		PPST-9300/9400	3/4	84
	» 30¾" width fits most all doorways	Depth: 35.13"		JZCC-5200	3	130
	» Easy to see over while pushing			JZCC-4200	3	150
	» Top rail to transport tumblers, etc.					
» Stainless steel mid-shelf	» Digital controller/thermometer					
	» 120v / 1700w / 14.2amp					
	» Top mounted convection air heat. Can get without the heat to be an insulated ambient cart: JZA-6UBT					

- » Small meal delivery cart maneuvers through tight spaces such as old doorways and elevators.
- » 6" multi-terrain casters
- » 30 3/4" width fits most all doorways
- » Easy to see over while pushing
- » Top rail to transport tumblers, etc.
- » Stainless steel mid-shelf
- » Digital controller/thermometer
- » 120v / 1700w / 14.2amp
- » Top mounted convection air heat. Can get without the heat to be an insulated ambient cart: **JZA-6UBT**

JZPPST-28-30		Features	Dimensions	Capacity		
				Tray	Cavity	# Trays
				PPST-28	5	30

- » Heated cart to transport 30 mainline cafeteria trays (with or without lids) on slides.
- » 6" HD poly casters
- » Removable slide racks fixed at 3" spacing (can be customized)
- » Bottom mount radiant heat
- » 120v / 1300w / 10.8amp
- » Digital controller/thermometer
- » Can get without the heat to be an insulated ambient cart: **JZPPST-28-30-A**

JZH-1014-60		Features	Dimensions	Capacity		
				Tray	Cavity	# Trays
				PPST-28	5	60

- » Heated cart to transport 60 mainline cafeteria trays (with or without lids) on slides.
- » 5" multi-terrain casters
- » Removable slide racks fixed at 3" spacing (can be customized)
- » Bottom mount radiant heat
- » 120v / 1685w / 14.1amp
- » Digital controller/thermometer
- » Can get without the heat to be an insulated ambient cart: **JZA-1014-60**

JZHH-120



Features	Dimensions	Capacity												
» A large size heated cart to deliver 120 large segregation trays on shelves. Can deliver as many as 252 smaller segregation trays stacked on floor with lids rather than using shelves. » 6" multi-terrain casters (4 swivel with brakes, 2 rigid) » 10 stainless steel shelves on removable racks » Side-mount recessed push handles » Tubular top rail » Full perimeter non-marking vinyl bottom bumper	Height: 64.75" Width: 52.75" Depth: 29"	<table><tr><th>Tray</th><th>Cavity</th><th># Trays on shelves / floor</th></tr><tr><td>PPST-9300/9400</td><td>3/4</td><td>120 / 168</td></tr><tr><td>JZCC-5200</td><td>3</td><td>180 / 252</td></tr><tr><td>JZCC-4200</td><td>3</td><td>180 / 252</td></tr></table>	Tray	Cavity	# Trays on shelves / floor	PPST-9300/9400	3/4	120 / 168	JZCC-5200	3	180 / 252	JZCC-4200	3	180 / 252
Tray	Cavity	# Trays on shelves / floor												
PPST-9300/9400	3/4	120 / 168												
JZCC-5200	3	180 / 252												
JZCC-4200	3	180 / 252												

This cart can be upgraded with the **Heavy Duty package**. This package is designed to 'harden' the most vulnerable components for especially abusive environments - casters, bumpers, hinges, electronic components.

- » A large size heated cart to deliver 120 large segregation trays on shelves. Can deliver as many as 252 smaller segregation trays stacked on floor with lids rather than using shelves.
- » 6" multi-terrain casters (4 swivel with brakes, 2 rigid)
- » 10 stainless steel shelves on removable racks (use sheet pans as shelves)
- » Side-mount recessed push handles
- » Tubular top rail
- » Full perimeter non-marking vinyl bottom bumper
- » 12-gauge heavy duty hinges and lockable transport latch
- » Recessed digital temperature controller / thermometer with security cover
- » Bottom mount radiant heat both sides
- » 120v / 1920P / 16amp
- » Heated/Heated

This cart can be upgraded with the **Heavy Duty package**. This package is designed to 'harden' the most vulnerable components for especially abusive environments - casters, bumpers, hinges, electronic components.

JZHH-144



Features		Dimensions	Capacity		
» An Extra-large size heated cart to deliver 144 large segregation trays on sheet pans. Can deliver as many as 360 smaller segregation trays and stacked on floor with lids rather than using shelves. Alternatively, can use to transport bulk food in hotel pans or on sheet pans		Height: 66" Width: 62.25" Depth: 31.75"			
			Tray	Cavity	# Trays on shelves / floor
			PPST-9300/9400	3/4	144 / 264
			JZCC-5200	3	192 / 360
			JZCC-4200	3	192 / 378
			12x20 4" pan		40
			18x26 sheet pan		20

» 8" multi-terrain casters (4 swivel with brakes, 2 rigid)	» 12 gauge heavy duty hinges and lockable transport latch
» Removable racks fixed at 4.5" spacing (use sheet pans as shelves)	» Recessed digital temperature controller / thermometer with security cover
» Side-mount recessed push handles	» Bottom mount radiant heat both sides
» Tubular top rail	» 120v / 1920w / 16amp / NEMA plug 5-20P
» Full perimeter non-marking vinyl bottom bumper	» Heated/Heated

This cart can be upgraded with the **Heavy Duty package**. This package is designed to 'harden' the most vulnerable components for especially abusive environments – casters, bumpers, hinges, electronic components.

- » An Extra-large size heated cart to deliver 144 large segregation trays on sheet pans. Can deliver as many as 360 smaller segregation trays and stacked on floor with lids rather than using shelves. Alternatively, can use to transport bulk food in hotel pans or on sheet pans
- » 8" multi-terrain casters (4 swivel with brakes, 2 rigid)
- » Removable racks fixed at 4.5" spacing (use sheet pans as shelves)
- » Side-mount recessed push handles
- » Tubular top rail
- » Full perimeter non-marking vinyl bottom bumper
- » 12 gauge heavy duty hinges and lockable transport latch
- » Recessed digital temperature controller / thermometer with security cover
- » Bottom mount radiant heat both sides
- » 120v / 1920w / 16amp / NEMA plug 5-20P
- » Heated/Heated

This cart can be upgraded with the **Heavy Duty package**. This package is designed to 'harden' the most vulnerable components for especially abusive environments - casters, bumpers, hinges, electronic components.

STANDARD DUAL TEMP CARTS

Dual Temperature Carts are used in applications where the meal is served in two different trays. Put the hot food in one tray and place it in the heated compartment of the cart. Put the cold food, flatware and condiments in another tray and put it in the other compartment of the cart which can be ambient or refrigerated. Push the cart to housing unit and hand inmate both trays.



JZ-120 Series



Features	Dimensions	Capacity			
» A large size dual temp cart to deliver 60 meals with one hot tray and one cold tray (cold side can be ambient or refrigerated). Can deliver as many as 126 meals with smaller segregation trays and stacked on floor with lids rather than using shelves. » 6" multi-terrain casters <i>(4 swivel with brakes, 2 rigid)</i> » 10 stainless steel shelves on removable racks » Side-mount recessed push handles » Tubular top rail » Full perimeter non-marking vinyl bottom bumper » 12-gauge heavy duty hinges and lockable transport latch » Recessed digital temperature controller / thermometer with security cover » Bottom mount radiant heat left side and top-mount refrigeration system right side » 120v / 1680w / 14amp / NEMA plug 5-20P (refrigerated) » Refrigeration certified to meet DOE regulations » Heated/Ambient or Heated/Refrigerated or Refrigerated/Refrigerated	Height: 64.75" Width: 52.75" Depth: 29"	TRAYS	Tray	Cavity	# Trays on shelves / floor
	(add 10.25" height for refrigeration compressor)		PPST-9300/9400	3/4	120 / 160
			JZCC-5200	3	180 / 252
			JZCC-4200	3	180 / 252
	This cart can be upgraded with the Heavy Duty package. This package is designed to 'harden' the most vulnerable components for especially abusive environments – casters, bumpers, hinges, electronic components.				

JZ-144 Series



Features	Dimensions	Capacity			
» An Extra-large size dual temp cart to deliver 72 meals with one hot tray and one cold tray (cold side can be ambient or refrigerated). Can deliver as many as 180 meals with smaller segregation trays and stacked on floor with lids rather than using shelves. Alternatively, can use to transport bulk food in hotel pans or on sheet pans » 8" multi-terrain casters <i>(4 swivel with brakes, 2 rigid)</i> » Removable racks fixed at 3" spacing <i>(use sheet pans as shelves)</i> » Side-mount recessed push handles » Tubular top rail » Full perimeter non-marking vinyl bottom bumper » Recessed digital temperature controller/ thermometer with security cover	Height: 66" Width: 62.25" Depth: 31.75" <i>(add 10" height for refrigeration compressor)</i>	TRANS	Tray	Cavity	# Trays on shelves / floor
			PPST-9300/9400	3/4	144 / 264
			JZCC-5200	3	192 / 360
			JZCC-4200	3	192 / 378
			12x20 4" pan		40
» 12 gauge heavy duty hinges and lockable transport latch » Bottom mount radiant heat left side and top-mount refrigeration system right side » 120v / 1680w / 14amp / NEMA plug 5-20P (refrigerated) » Refrigeration certified to meet DOE regulations » Heated/Ambient or Heated/Refrigerated or Refrigerated/Refrigerated	TRANS	18x26 sheet pan		20	

This cart can be upgraded with the **Heavy Duty package**. This package is designed to 'harden' the most vulnerable components for especially abusive environments - casters, bumpers, hinges, electronic components.

JZHA-60 Nesting Tray



Features	Dimensions	Capacity Per Side			
» A large size dual temp cart to deliver 60 meals with one hot tray in heated section and one cold tray in ambient section. Hot side is with 3-compartment segregation tray with lid stacked on the floor. Cold side is with mainline cafeteria tray on slides. NEST THE HOT TRAY ON THE COLD TRAY AND SERVE. » 6" heavy duty poly casters <i>(4 swivel with brakes, 2 rigid)</i> » Full perimeter non-marking vinyl bottom bumper » Tubular top rail » Side-mount welded push handles » 12-gauge lockable transport latch covers all three doors at once	Height: 65.8"	TRAYS	Tray	Cavity	# Trays
	Width: 54"		JZCC-4200/5200	3	60
	Depth: 30"	PPST-1570	6	60	
	» Tray slides fixed at 3" spacing on removable racks on ambient side » Top mount forced air heat on left side » 12-gauge heavy duty hinges » 120v / 1500w / 14.3amp / NEMA plug 5-15P » Heated/Ambient				

HEATED & REFRIGERATED FOOD SERVICE EQUIPMENT

JZ-54	 Features » Narrow meal delivery cart for small housing units. » Short profile to see over while transporting. » Fits 3 trays per layer and 18 high with lid on top of each stack » 21.5" width fits all doorways » Transport tumblers or drink service on top. » Built in thermometer » Top rail » Bottom baffle heat distribution » 120v / 1700w / 15amp (if heated) Dimensions Height: 47.8" Width: 21.5" Depth: 38.25" Capacity 54 SmartTrays	
JZ-6UBT-RH	 Features » Small meal delivery cart for small to medium housing units or niche locations like medical. » Surprisingly good capacity for a small cart. » Fits 5 trays per layer and 18 high with lid on top of each stack » 30.75" width fits most doorways » Can fit sheet and bulk food pans » Built in thermometer » Transport tumblers, etc. on top » 120v / 1700w / 15amp (if heated) Dimensions Height: 47.3" Width: 30.75" Depth: 38.25" Capacity 90 SmartTrays	
JZ-136	 Features » Medium meal delivery cart for mid-sized housing units. » Short profile to see over while transporting. » Fits 8 trays per layer and 17 high with lid on top of each stack » 31" width fits most doorways » Built in thermometer » Top rail » Bottom baffle heat distribution » 120v / 1700w / 15amp (if heated) Dimensions Height: 47.5" Width: 54.88" Depth: 31.0" Capacity 136 SmartTrays	
JZ-168	 Features » Large meal delivery cart for larger housing units. » Short profile to see over with larger perimeter. » Can be configured for meal tray or bulk food pan delivery. » Fits 9 trays per layer and 17 high with lid on top of each stack » Center casters for easy maneuvering capable of turning on its own axis » Can fit sheet and bulk food pans » Built in thermometer » Transport tumblers, etc. on top » 120v / 1700w / 15amp (if heated) Dimensions Height: 47.5" Width: 62.9" Depth: 31.0" Capacity 162 SmartTrays	
JZ-168XL	 Features » Large meal delivery cart for larger housing units. » Short profile to see over with larger perimeter. » Can be configured for meal tray or bulk food pan delivery. » Fits 10 trays per layer and 17 high with lid on top of each stack » Center casters for easy maneuvering capable of turning on its own axis » Can fit sheet and bulk food pans » Built in thermometer » Transport tumblers, etc. on top » 120v / 1700w / 15amp (if heated) Dimensions Height: 47.5" Width: 62.9" Depth: 32.5" Capacity 170 SmartTrays	
JZ-192XL	 Features » Large meal delivery cart for larger housing units. » Short profile to see over with larger perimeter. » Can be configured for meal tray or bulk food pan delivery. » Fits 10 trays per layer and 19 high with lid on top of each stack » Center casters for easy maneuvering capable of turning on its own axis » Can fit sheet and bulk food pans » Built in thermometer » Transport tumblers, etc. on top » 120v / 1700w / 15amp (if heated) Dimensions Height: 51.0" Width: 62.9" Depth: 32.5" Capacity 190 SmartTrays	
JZHR-ONE-20	 Features » Keeps hot food hot and cold food cold simultaneously. » Compact design. » One-tray system. » Fits 20 trays - 10 on each side » Plugs into a standard 120v, 20amp outlet » Side-mounted refrigeration » Fast heat recovery technology Dimensions Height: 56.5" Width: 51.25" Depth: 32.0" ----- 4" spacing Capacity 20 meals	
JZHR-ONE-22	 Features » Keeps hot food hot and cold food cold simultaneously. » Compact design. » One-tray system. » Fits 22 trays - 11 on each side » Plugs into a standard 120v, 20amp outlet » Side-mounted refrigeration » Fast heat recovery technology Dimensions Height: 56.5" Width: 51.25" Depth: 32.0" ----- 3.75" spacing Capacity 22 meals	
JZHR-ONE-24	 Features » Keeps hot food hot and cold food cold simultaneously. » Compact design. » One-tray system. » Fits 24 trays - 12 on each side » Plugs into a standard 120v, 20amp outlet » Side-mounted refrigeration » Fast heat recovery technology Dimensions Height: 51.0" Width: 62.9" Depth: 32.5" ----- 3.5" spacing Capacity 24 meals	



servesmart



Optimus

EQUIPMENT OPTIONS AND ACCESSORIES



MISSION-READY SPECIFIC OPTIONS



Option	Description
	Spare Heater When heated equipment goes down, snap in a spare in seconds for Maximize Uptime!
	Bumper Guards Protect the heat box from impacts with horizontal objects with front edge mounted bumper guards
	Insulated Panel Substitute the heat box for an insulated panel to convert a heated cart to an ambient cart and vice versa
	JZH-198HD Upgrade your JZH-198 to a Heavy Duty version for high abuse environments

Option	Description
	Heat Box Lock Choose either heat box lock mechanism to be able to use your institution pad locks or key lock slam latch
	Spare Heater Cabinet Secure up to 8 spare heaters in a lockable stainless steel cabinet
	Shelves / Slides Add shelves and/or racks and slides to your cart to make it easy to load and unload meal trays

GENERAL EQUIPMENT OPTIONS

No two correctional facilities are the same and neither are two food service operations the same. Each application requires specific solutions to specific problems. Below you will find many options to customize how your food service equipment works for you.

Option	Description
	Uptime Maintenance Kit All the critical spare parts for your JZ equipment in one convenient tool box. Don't wait for parts to fix needed equipment.
	Heavy Duty Upgrade Package For high abuse environments harden the most vulnerable components to increase equipment durability
	Tow Package Full chassis all welded steel frame. Pin style hitch locks in the up position without hardware. Rated for 8,000lbs
	Brake Assembly "Deadman" brake assist engages when releasing push lever
	Premium Casters Get the right caster for your application. concrete; cracks; outdoor; potholes; towing, etc. (see page 15)
	Floor Lock Easy access foot pedal to lock cart in place. Ideal for transporting carts in a box truck.

Option	Description
	Racks with Shelves / Slides Customize racks, slides and shelves to accommodate your process to load and unload food
	Cold Plates Freeze cold plates and place in mounting brackets of ambient section of a cart to keep food chilled longer
	Padlock Tether Permanently chain pad locks to cart to prevent lock from being misplaced or stolen
	Exterior Shelving Often used for beverage service, permanently mounted exterior shelves allow for maximum service versatility
	Drop-down Handle Hinged handle allows carts to be "pulled" at a safe distance from heels

UPGRADE OPTIONS

Option	Description
	Zinc-plated Casters Long lasting corrosion resistant.
	8" Large Casters Easier to push heavy duty longer lasting casters
	Top Perimeter Bumper Protect all surface areas
	Removable Cord Prevent theft
	220 Electric Meet your facility requirements
	Motorized Casters Eliminate physical strain and increase control

Option	Description
	Active Breaking Increase control and reduce risks
	MaxFlex Trays Increase safety and reusability
	Pull-Out Drawer Reduce strain and increase efficiency *JZH-54 and JZH-6UBT
	Braided Stainless Steel Reduce damage time to cord
	Heater Bumper Guard Provide heater an extra layer of protection



EXTENDED WARRANTY OPTION

1-year and 2-year extended warranty options available

RACKS

DRYING RACKS

Full range of drying racks to accommodate mainline trays, insulated trays, segregation trays, tray lids, all sizes of steam table pans and lids, sheet pans, etc. Save space in your kitchen with high capacity drying racks. The unique plastic insert technology lowers initial costs, lowers replacement costs, is more sanitary. Extend the life of your trays by not running them over metal edges every day. Can mix-n-match plastic inserts to make a rack universal for multiple items. All heavy duty corrections construction.



4 SHELF INSERT DRYING RACK FOR INSULATED TRAYS OR SEGREGATION TRAYS

Item	Model	Steel	Aluminum	Dimensions	Capacity				
	JZDRA-92			Height: 72.7" Width: 80.5" Depth: 22.9"	TRAYS	Tray	# Trays	Tray	# Trays
						Insulated	184	4000/5000	276
						9000 segregation	184	segregation	
						SMART	184		

5 SHELF INSERT DRYING RACK FOR SEGREGATION TRAYS

Item		Model	Steel	Aluminum	Dimensions	Capacity				
		JZDRA-115			Height: 72.7" Width: 80.5" Depth: 22.9"	TRAYS	Tray	# Trays	Tray	# Trays
							9000 segregation series	230	4000/5000 segregation	345

4 SHELF INSERT DRYING RACK FOR CAFETERIA TRAYS or STEAM PANS

Item	Model	Steel	Aluminum	Dimensions	Capacity				
	JZDRA-156			Height: 72.7" Width: 80.5" Depth: 22.9"	TRAYS	Tray	# Trays	Item	# Trays
						Standard Mainline	312	4" Steam Pans	57

4 SHELF INSERT DRYING RACK FOR SHEET PANS

Item		Model	Steel	Aluminum	Dimensions	TRAYS	Capacity	
		JZDRA-220SP			Height: 80.2" Width: 80.5" Depth: 22.9"		Item	# Trays
							Standard Sheet Pans	220

4 SHELF INSERT DRYING RACK FOR STEAM PANS

Item	Model	Steel	Aluminum	Dimensions	Capacity		
	JZDRA-76TP			Height: 82.5" Width: 80.5" Depth: 22.9"	TRAYS	Item	# Trays
						4" 12X20 Steam Pans	76

4 SHELF HANGING DRYING RACK FOR SEGREGATION TRAYS

Item	Model	Steel	Aluminum	Dimensions	Capacity		
	JZDRA-240H			Height: 64.5" Width: 60" Depth: 28"	TRAYS	Tray	# Trays
						9000 Segregation	240
						4000/5000 Segregation	320

3 LEVEL SLOT DRYING RACK *(requires sample of tray/pan to order)*

Item	Model	Steel	Aluminum	Dimensions	Capacity				
					Tray	# Trays	Item	# Trays	
	JZDRA-276S		✔	Height: 75.5" Width: 64" Depth: 28.5"	TRAYS	10x14 Mainline Trays	144	18x26 Sheet Pans	138
	JZDRA-14S			Insulated Trays		144	SMART Tray	144	

FEATURES of INSERT Drying Racks

- » 5 Year structural warranty. Lifetime non-corrosion
 - » All-welded aluminum corrections grade construction
 - » Type 6063-t5 aluminum alloy with wall thickness of 0.070"
 - » 6" Poly casters (4 swivel w/ brake)
 - » More sanitary. Lift out inserts and run them through dishwasher
 - » Inserts are copolymer, dishwasher safe, shatterproof and resist sharpening
 - » Each rack can accommodate any of the 3 insert sizes. Mix-n-match for universal rack.
- Your JonesZylon rep will help you design the best rack configuration for your application

INSERTS FOR DRYING RACKS

	Model	Slot Width	Slots Per Shelf	Intended Use
	JZDRI-3	3"	23	Insulated Trays / Segregation Trays SMART Trays
	JZDRI-4	1.125"	55	Sheet pans / Tray lids / Steam pan lids
	JZDRI-5	1.813"	39	Mainline (cafeteria) trays / Steam pans

RACKS

BUN PAN RACKS

Heavy-duty, corrections grade racks efficiently move sheet pans of food.
Available in open and closed configuration

		Features	Dimensions	Casters	Runner Space	Pan Capacity 18"x26"
JZA-1826-20-0		» Open sheet pan rack for 20 sheets	Height: 69.7" Width: 20.4" Depth: 26"	5"	3"	20
		» 5 Year structural warranty. Lifetime non-corrosion » All-welded aluminum corrections grade construction » Heavy-duty high tensile extruded aluminum type 6063-t5 » Reinforced with welded angle gussets » All fasteners tamper resistant				
JZA-1826-38-E		» Enclosed sheet pan rack, heavy duty, for 38 sheets	Height: 69.4" Width: 20.9" Depth: 27.7"	6"	1.5"	38
		» 5 Year structural warranty. Lifetime non-corrosion » All-welded aluminum corrections grade construction » 4 Heavy duty stainless steel hinges. Door swings open 270° » Positive gravity catch holds doors closed with holes for padlocks » Universal card holder is fixed to door front » Corrugated aluminum side panels				

CAFETERIA TRAY STAGING CART

Item	Model	Steel	Aluminum	Dimensions	Capacity
	JZSCA-1	✓	✓	Height: 48" Length: 43" Depth: 27"	200 any type cafeteria tray (i.e. JonesZylon PPST-28)

FEATURES of the Staging Carts

- » 5 Year structural warranty. Lifetime non-corrosion
- » All-welded corrections grade construction
- » 6" Poly casters (2 fixed, 2 swivel w/ brake)
- » Optimized for common mainline serving trays.
4 Stacks of 50
- » Push/pull handle each side
- » 1/2 size and 1/4 size carts available for
100 trays and 50 trays

OPEN TRAY TRANSPORT CARTS

Transport insulated trays on lower shelf and drinks/misc. on top from kitchen to in-cell feeding area.

STANDARD DUTY

Item	Model	Steel	Alum.	Dimensions	Capacity			
	TC-49E		Height: 47" Length: 49" Depth: 28"	TRAYS	Model	# Trays	Model	# Trays
					PRTS-4000	84	PRTS-6000	90
					PRTS-5000	119		

HEAVY DUTY

Item	Model	Steel	Alum.	Dimensions	Capacity				
	TC-49A	✔	✔	Height: 47" Length: 49" Depth: 28"	TRAYS	Model	# Trays	Model	# Trays
						PRTS-4000	84	PRTS-6000	90
						PRTS-5000	119		

FEATURES of the Open Transport Carts

- » 5 Year structural warranty
- » All-welded corrections grade construction
- » 5" Poly casters (2 fixed, 2 swivel w/ brake)
- » Push / pull handle
- » Raised lip top shelf for beverages or other cargo
- » Punched and notched shelves for hold-down straps
- » Available hold-down straps
- » Available as extra long 69" cart

CARTS

ENCLOSED TRAY TRANSPORT CARTS

Metal, all-welded carts stand up to the abuses of the correctional environment. All carts are backed by a 5-year warranty.



TC-90 SMT		Dimensions		Capacity		
		Height: 43.1" Width: 44.75" Depth: 24.4"	TRAYS	Tray	Cavity	# Trays
				SmartTray	5	90
				Rock	5	85
				X-Tray	5	60
				PRTS-4000	4	30
				PRTS-5000	5	39
				PRTS-6000	6	33

TC-136 SMT		Dimensions		Capacity		
		Height: 46.9" Width: 50.9" Depth: 28.5"	TRAYS	Tray	Cavity	# Trays
				SmartTray	5	136
				Rock	5	120
				X-Tray	5	84
				PRTS-4000	4	36
				PRTS-5000	5	90
				PRTS-6000	6	39

TC-170 SMT		Dimensions		Capacity		
		Height: 47.1" Width: 60.2" Depth: 28.5"	TRAYS	Tray	Cavity	# Trays
				SmartTray	5	170
				Rock	5	140
				X-Tray	5	98
				PRTS-4000	4	48
				PRTS-5000	5	105
				PRTS-6000	6	52

FEATURES of the ServeSmart Aluminum Carts

- » All welded aluminum
- » Bottom corner bumpers
- » 6" TPR casters
- » 4 sided top rail doubles as handles
- » Stainless steel dropdown latch, padlock-able
- » Sized to perfectly fit SmartTray for best tray capacity
- » 5 year structural warranty
- » Lifetime guarantee against corrosion
- » Low profile for clear view over the top during transport
- » Corrections grade durability and construction
- » Sanitary and easy to clean materials
- » Will hold temperatures as well as plastic insulated carts

ENCLOSED TRAY TRANSPORT CARTS FOR INSULATED TRAYS

Transport insulated trays within cabinet and drinks/misc. on top from kitchen to in-cell feeding area. Heavy Duty latch keeps food secured from theft. Using enclosed carts improves food temperature retention and gives you more time to deliver.

MEDIUM | STANDARD DUTY

Item	Model	Dimensions	Capacity	
	TC-49A ENCL	Height: 52.5" Length: 53" Depth: 33.8"	Model	# Trays
			PRTS-4000	90
			PRTS-5000	126
			PRTS-6000	90

LARGE | HEAVY DUTY

Item	Model	Dimensions	Capacity	
	TC-68HD	Height: 53.1" Length: 68.5" Depth: 33.3"	Model	# Trays
			PRTS-4000	112
			PRTS-5000	136
			PRTS-6000	120

EXTRA LARGE | HEAVY DUTY

Item	Model	Dimensions	Capacity	
	TC-73HD	Height: 54.1" Length: 73.5" Depth: 34"	Model	# Trays
			PRTS-4000	140
			PRTS-5000	204
			PRTS-6000	135

FEATURES of the Enclosed Transport Carts

STANDARD DUTY

- » 5 Year structural warranty. Lifetime non-corrosion
- » All-welded corrections grade construction
- » Can easily see over during transport
- » Sanitary. Easy to clean to 'like new' appearance
- » 6" Poly casters (2 fixed, 2 swivel w/ brake)
- » 3-Sided top rail that doubles as a push/pull handle
- » Stainless steel dropdown latch, padlock-able

HEAVY DUTY

- » 5 Year structural warranty. Lifetime non-corrosion
- » All-welded aluminum corrections grade construction
- » Bracket and weld reinforcements throughout cart
- » 3 Heavy duty hinges per door
- » Full perimeter bottom bumper
- » Top corner bumpers
- » Can easily see over during transport
- » Sanitary. Easy to clean to 'like new' appearance
- » 8" Poly casters (2 fixed, 4 swivel w/ brake)
- » Center casters allow to turn on its own length
- » 4-Sided top rail that doubles as a push/pull handle
- » Stainless steel bolt latch, padlock-able

CASTERS

CASTER OPTIONS

	HEAVY DUTY POLY Heavy Duty polymer casters are for lighter carts and racks. They are hard for easy rolling over smooth surfaces.	Recommended for: » Drying and/or pan racks » Utility carts » Refrigerated holding cabinet
	MULTI-TERRAIN Multi-terrain Casters have some cushioning to better go over small cracks and joints such as tile and thresholds.	» Meal delivery carts » Hot box
	PREMIUM MULTI-TERRAIN Premium Multi-terrain Casters are easier to push as both starting force and continuing forces are lower. They have superior cushioning to handle more severed cracks and are especially quiet. Their kingpinless swivel design make them the best option for towing. They are more durable, needing to be replaced less often.	» Meal delivery carts » Hot box » Rougher terrain » Towing » Healthcare

STAGING CARTS

RETRIEVAL CARTS

Keep clean and soiled trays completely separate with our dedicated retrieval cart, designed to streamline post-meal collection in any healthcare setting. Holding up to 20 meals, the cart gives staff a sanitary, purpose-built solution for transporting used trays back from patient rooms—no more doubling up with delivery carts or risking cross-contamination. Its efficient capacity supports high-volume service while the enclosed design keeps soiled items contained and out of sight, helping your team maintain the hygiene standards patients and regulators expect.



	Features	Dimensions	Casters
	» Body constructed of non-corrosive, Hi-Tensile aluminum for strength and ease of mobility » Same size top and base extend past sidewalls to act as natural bumpers for protection » Top and sides are .063" aluminum and base is .125" aluminum » Extruded aluminum channels, 0.88" x 2.25" x .102", welded to top and base to form a solid frame » Door: Full length door swings 270° / Latchable to cabinet for convenience / Gravity-type latch secures door during transport » Pan Slides: Extruded angle supports 1" x 2" x .125" » Casters: Four 6" Extra Duty casters / Polyurethane (2 swivel with brake, 2 rigid) / Can turn on its own axis » Bumpers: Extended top and base act as a natural bumper for protection » Warranty: 5-year warranty against manufacturing defect / Lifetime guarantee against corrosion on aluminum parts	Height: 63.75" Width: 21.75" Depth: 31.50"	(4) 6" extra duty

TRAY STAGING CARTS

Every tray line starts somewhere. Our tray staging carts are built to be that starting point, holding clean trays at the head of the line so food service workers can quickly grab, plate, and load into a cart.

After trays come out of the dishwashing area, they need to get to the tray line efficiently. Four swivel casters make our staging carts easy to maneuver through tight kitchens and into position right where your team needs them. Constructed from welded aluminum, they stand up to the daily demands of a busy foodservice operation without the bulk or rust concerns of other materials.

As part of our fully-integrated meal delivery system, our staging carts are sized to work seamlessly with our trays and the rest of our equipment, the right fit every time.

	Features	Dimensions	Casters	Capacity
	» 6000 series aluminum construction » Sturdy construction specifically designed for the demanding environment » Trays: One stack of Optimus trays » Handles: Push/pull handles on one side » Casters: Four 6" poly casters (two swivel with brakes and two fixed) » Bumpers: Extended top and base act as a natural bumper for protection » Warranty: Lifetime guarantee against rust and corrosion (excluding casters and fasteners) 5-year guarantee against material defects and workmanship	Height: 50.00" Width: 17.75" Depth: 24.50"	(4) 6" poly	80 Optimus Trays



P.O. Box 149 | West Lafayette, Ohio 43845 | 800-848-8160 phone | 877-632-6344 fax | jzsales@joneszylon.com email

www.joneszylon.com

